# QuickStand Technical Specifications



Designed by Humanscale, QuickStand is a unique, desk clamp-mounted sit/stand product that encourages users to be active and easily integrate vital movement into their work days. An extremely solid, stable product, QuickStand features a built-in cable harness that allows users to plug in and go. With a minimal profile, QuickStand doesn't compromise the user's work surface, leaving plenty of space for paper-based work or other items.



Pre-installed cable harness

VESA compliant with friction monitor adjustability


**Two-piece clamp** for clamping or through grommet mount













Part Number	QSWL24	QSBL24	QSWL30	QSBL30	QSWC30	QSBC30
Description	Light Duty, Single Monitor, Small Platform		Light Duty, Single Monitor, Large Platform		Heavy Duty with Crossbar, Dual Monitors, Large Platform	
Work Surface Size		n) to 29" (700 mm) rk Surface			o 36" (900 mm) rk Surface	
Color	White & Gray	Black & Gray	White & Gray	Black & Gray	White & Gray	Black & Gray
Package Contents <sup>1</sup>	QuickStand Height-Adjustable Column, Small Platform, Integrated Cable Harness for One Monitor, Palm Support, Two-Piece Desk Clamp, Tool Kit		QuickStand Height-Adjustable Column, Large Platform, Integrated Cable Harness for One Monitor, Palm Support, Two-Piece Desk Clamp, Tool Kit		QuickStand Height-Adjustable Column, Crossbar, Large Platform, Integrated Cable Harness for Two Monitors, Palm Support, Two-Piece Desk Clamp, Tool Kit	
Clamp Options <sup>2</sup>	Two-Piece Desk Clamp for ½" (13mm) up to 2 ¾" (70 mm) Thick Work Surfaces					
Platform Size	28" (710 mm) Wide x 11" (280 mm) Deep 28" (710 mm) Wide			x 17" (430 mm) Deep		
Installed Cable Harness <sup>3</sup>	1 x IEC C13 Power Cord 3 m Length 1 x DVI-DUAL Link Cable 3 m Length 2 x USB 2.0 Cable 2 m Length				2 x IEC C13 Power Cord 3 m Length 2 x DVI-DUAL Link Cable 3 m Length 2 x USB 2.0 Cable 2 m Length	
Weight Capacity	Monitor Mount Weight – Minimum 4 lbs. (1.8 kg) to Maximum 11 lbs. (5 kg) Maximum Load on QuickStand Assembly – 25 lbs. (11.3 kg). Includes: Monitor Weight and Platform Contents				Each Monitor Mount Weight – Minimum 4 lbs. (1.8 kg) to Maximum 11 lbs. (5 kg) Maximum Load on QuickStand Assembly – 25 lbs. (11.3 kg). Includes: Monitor Weight, Crossbar and Platform Contents	
Height Adjustment	18" (460 mm) Platform Height Adjustment 5" (127 mm) Single/Dual Monitor Adjustment 23" (585 mm) Maximum Height Adjustment					
Typical Display Size <sup>4</sup>	≤ 24"					
Display Tilt	+15° -5°					
Display Pan	Not Available				+/- 15°	
Display Rotation	180° Landscape to Portrait Display Rotation					
VESA	VESA Compliant					
Shipping Dimensions	38.5" (1000 mm) Wide x 11.5" (300 mm) Deep x 21.5" (550 mm) High					
Shipping Weight	57 lbs. (26 kg)				60 lbs. (27 kg)	
Warranty	5 Years, 24/7					

## <sup>1</sup> Package Contents:

Each QuickStand is shipped with the required tools to install and setup the product

### <sup>2</sup> Desk Clamp Options:

- Two-piece clamp for clamping to the back of work surfaces
- o Two-piece clamp will fit through the following size grommet hole: 4.5" (115 mm) Wide x 1" (25.5 mm) Deep
- O No through work surface installation option

#### <sup>3</sup> Installed Cable Harness:

- O Length of power cord and DVI cables running from the back of QuickStand: 48" (1220 mm)
- O Length of USB cables running from the back of QuickStand: 36" (915 mm)
- Length of power cord and DVI cables running from the front of QuickStand: 16" (400 mm)
- O Power cord will be different depending on country of sale

#### <sup>4</sup> Typical Monitor Display Size:

• Monitor display size is an approximation. The dimension is a diagonal measurement of screen. Monitor display size may be exceeded as long as weight does not exceed maximum monitor mount weight capacity.

