

Statement of Line	➤ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.167

➤ See the *Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) overview
- Alliance program
- TB133 process

IMPORTANT: Wood finishes applied to solid hardwood are complementary to the same wood finish applied to wood veneer, but not an exact match.

➤ Contact Customer Service for more information.

Wood

Applies to:

- Wood tiles
- End panels

Group 1

- | | |
|-----|----------------------------|
| MC | Amber Cherry |
| CC | Cordoba Cherry |
| MH | Mocha Cherry |
| SC | Sedona Cherry |
| IM | Brighton Maple |
| TM | Huntington Maple |
| ES | Espresso Walnut |
| MW | Midtown Walnut |
| TW | Tribeca Walnut |
| UW | Urban Walnut |
| AD | Almond Straight Grain |
| CO | Canyon Straight Grain |
| DF | Driftwood Straight Grain |
| YO | Monterey Straight Grain |
| PB | Portobello Straight Grain |
| 792 | Sable Straight Grain |
| NW | Tuscan Straight Grain |
| CR | Clear Plywood ¹ |

¹ Available on plywood end panels only.

Statement of Line	➤ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.167

➤ See the *Surface Materials*

Reference Guide at www.kimball.com for a complete overview of the Kimball materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) overview
- Alliance program
- TB133 process

IMPORTANT: Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Customer-specified laminate (CSP) is available on:

- HPL end panels

➤ See the *Surface Materials*

Reference Guide at www.kimball.com.

HPL

Applies to:

- All HPL surfaces

Woodgrain

MC	Amber Cherry
CC	Cordoba Cherry
MH	Mocha Cherry
SC	Sedona Cherry
IM	Brighton Maple
TM	Huntington Maple
MW	Midtown Walnut
TW	Tribeca Walnut
UW	Urban Walnut
AD	Almond Straight Grain
CO	Canyon Straight Grain
DF	Driftwood Straight Grain
YO	Monterey Straight Grain
PB	Portobello Straight Grain
792	Sable Straight Grain
NW	Tuscan Straight Grain

Solid

480	Antique White
403	Chamois
462	Cinder
440	Cloud
405	Designer White
450	Fog
488	Frosty White
461	Graphite
416	Putty
420	Sandstone
425	Shadow
460	Storm
419	Wallaby

Pattern

823	Carbon Evolv
818	Crisp Linen
841	Desert Zephyr
821	Elemental Concrete
819	Flax Gauze
862	Grey Glace
843	Misted Zephyr
807	Silcon Evolv
822	Smoke Quarstone
805	Titanium Evolv
802	White Nebula
814	White Tigris

TFL

Applies to:

- All TFL surfaces

Woodgrain

MC	Amber Cherry
MH	Mocha Cherry
IM	Brighton Maple
MW	Midtown Walnut
AD	Almond Straight Grain
CO	Canyon Straight Grain
DF	Driftwood Straight Grain
YO	Monterey Straight Grain
PB	Portobello Straight Grain
792	Sable Straight Grain
NW	Tuscan Straight Grain

Solid

480	Antique White
462	Cinder
440	Cloud
405	Designer White
461	Graphite
420	Sandstone
460	Storm

Statement of Line	➤ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.167

continued

➤ See the *Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) overview
- Alliance program
- TB133 process

3D Laminate

Applies to:

- All 3D laminate surfaces

Solid

- 480 Antique White
- 462 Cinder
- 440 Cloud
- 405 Designer White
- 450 Fog
- 420 Sandstone

Statement of Line	➤ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.167

➤ See the *Surface Materials*

Reference Guide at www.kimball.com for a complete overview of the Kimball materials program, including:

- Characteristics of wood
- Special wood finishes
- Customer-specified laminate (CSL)
- Customer-specified paint (CSP)
- Fabric application and colorways
- Customer's own material (COM) overview
- Alliance program
- TB133 process

IMPORTANT: Due to the reflective qualities of metallic paints, variations in color may occur.

Paint

Applies to:

- All painted surfaces, except back-painted tiles

Group 1

- 480 Antique White
- 427 Barley
- 437 Cement
- 403 Chamois
- 462 Cinder
- 440 Cloud
- 485 Dark Chocolate
- 405 Designer White
- 453 Environmental Grey
- 459 Featherstone
- 450 Fog
- 488 Frosty White
- 461 Graphite
- 445 Moon Beam
- 416 Putty
- 420 Sandstone
- 425 Shadow
- 465 Smoke
- 460 Storm
- 429 Tantalum
- 419 Wallaby

Group 21

- 111 Apricot Orange
- 106 Cloud Blue
- 107 Dark Blue
- 113 Golden Rod
- 105 Spinach Green
- 112 Tango Red

Group M¹

- 514 Carbon Metallic
- 507 Patina Metallic
- 501 Platinum Metallic¹
- 505 Satin Bronze Metallic
- 544 Silver Pearl
- 504 Taupe Metallic

¹ Metallic paint not available on paint tiles

Applies to:

- Back-painted glass tiles

- 462 Cinder
- 440 Cloud
- 405 Designer White
- 450 Fog
- 425 Shadow

- 501 Platinum Metallic²

² No upcharge

Statement of Line	▶ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.167

- ▶ See the *Surface Materials Reference Guide* at www.kimball.com for a complete overview of the Kimball materials program, including:
- Characteristics of wood
 - Special wood finishes
 - Customer-specified laminate (CSL)
 - Customer-specified paint (CSP)
 - Fabric application and colorways
 - Customer's own material (COM) overview
 - Alliance program
 - TB133 process

Applies to:

- Connectors
- Fire-rated fabric tiles
- Vertical cable managers

Kimball Panel Fabric

Price Grades A–E

▶ See the *Surface Materials Reference Guide* at www.kimball.com for the most up-to-date list of available panel fabric patterns.

Statement of Line	➤ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.172

Kimball has analyzed each model to most accurately reflect the yardage requirements. Fabric is railroaded.

The yardage requirement for each model is listed for 66"W directional, 66"W non-directional, and 54"W directional, where applicable.

*** = indicates the model has been truncated. Base model numbers may include additional letters or numbers; the yardage will be the same.

Model	66"W Directional	54"W Directional	66"W Non-Dir.	Model	66"W Directional	54"W Directional	66"W Non-Dir.	Model	66"W Directional	54"W Directional	66"W Non-Dir.
33P12FCS***	0.3	0.3	0.3	33P301IT***	1.0	1.0	1.0	33P482IT***	1.5	1.5	1.5
33P13FCS***	0.3	0.3	0.3	33P302IT***	1.0	1.0	1.0	33P483IT***	1.5	1.5	1.5
33P14FCS***	0.3	0.3	0.3	33P303IT***	1.0	1.0	1.0	33P484IT***	1.5	1.5	1.5
33P15FCS***	0.3	n/a	0.3	33P304IT***	1.0	1.0	1.0	33P484IT***	1.5	1.5	1.5
33P181IT***	0.6	0.6	0.6	33P304IT***	1.0	1.0	1.0	33P485IT***	1.5	n/a	1.5
33P182IT***	0.6	0.6	0.6	33P305IT***	1.0	n/a	1.0	33P48H06IT***	1.5	1.5	1.5
33P183IT***	0.6	0.6	0.6	33P30H06IT***	1.0	1.0	1.0	33P48H18IT***	1.5	1.5	1.5
33P1844IT***	0.6	0.6	0.6	33P30H18IT***	1.0	1.0	1.0	33P48H44IT***	1.5	1.5	1.5
33P184IT***	0.6	0.6	0.6	33P30H44IT***	1.0	1.0	1.0	33P4HVCMN	0.2	0.2	0.2
33P185IT***	0.6	n/a	0.6	33P32FCT***	0.2	0.2	0.2	33P50HVCMN	0.2	0.2	0.2
33P18H06IT***	0.6	0.6	0.6	33P33FCT***	0.2	0.2	0.2	33P541IT***	1.7	1.7	1.7
33P18H18IT***	0.6	0.6	0.6	33P34FCT***	0.2	0.2	0.2	33P542IT***	1.7	1.7	1.7
33P18H44IT***	0.6	0.6	0.6	33P35FCT***	0.2	n/a	0.2	33P543IT***	1.7	1.7	1.7
33P1FCLSF	0.3	0.3	0.3	33P361IT***	1.2	1.2	1.2	33P54H06IT***	1.7	1.7	1.7
33P1FCSSF	0.3	0.3	0.3	33P362IT***	1.2	1.2	1.2	33P54H18IT***	1.7	1.7	1.7
33P1FCTSF	0.2	0.2	0.2	33P363IT***	1.2	1.2	1.2	33P5VCMN2	0.2	0.2	0.2
33P1FCVSF	0.2	0.2	0.2	33P364IT***	1.2	1.2	1.2	33P601IT***	1.8	1.8	1.8
33P1H50FCS***	0.3	0.3	0.3	33P364IT***	1.2	1.2	1.2	33P602IT***	1.8	1.8	1.8
33P1VCMN2	0.2	0.2	0.2	33P365IT***	1.2	n/a	1.2	33P603IT***	1.8	1.8	1.8
33P22FCL***	0.3	0.3	0.3	33P36H06IT***	1.2	1.2	1.2	33P6044IT***	1.8	1.8	1.8
33P22FCV***	0.2	0.2	0.2	33P36H18IT***	1.2	1.2	1.2	33P604IT***	1.8	1.8	1.8
33P23FCL***	0.3	0.3	0.3	33P36H44IT***	1.2	1.2	1.2	33P605IT***	1.8	n/a	1.8
33P23FCV***	0.2	0.2	0.2	33P3H50FCT***	0.2	0.2	0.2	33P60H06IT***	1.8	1.8	1.8
33P241IT***	0.8	0.8	0.8	33P3HVCMN	0.2	0.2	0.2	33P60H18IT***	1.8	1.8	1.8
33P242IT***	0.8	0.8	0.8	33P3VCMN2	0.2	0.2	0.2	33P661IT***	2.0	2.0	2.0
33P243IT***	0.8	0.8	0.8	33P421IT***	1.3	1.3	1.3	33P662IT***	2.0	2.0	2.0
33P2444IT***	0.8	0.8	0.8	33P422IT***	1.3	1.3	1.3	33P663IT***	2.0	2.0	2.0
33P244IT***	0.8	0.8	0.8	33P423IT***	1.3	1.3	1.3	33P66H06IT***	2.0	2.0	2.0
33P245IT***	0.8	n/a	0.8	33P424IT***	1.3	1.3	1.3	33P66H18IT***	2.0	2.0	2.0
33P24FCL***	0.3	0.3	0.3	33P424IT***	1.3	1.3	1.3	33P721IT***	2.2	2.2	2.2
33P24FCV***	0.2	0.2	0.2	33P425IT***	1.3	n/a	1.3	33P722IT***	2.2	2.2	2.2
33P25FCL***	0.3	0.3	0.3	33P42H06IT***	1.3	1.3	1.3	33P723IT***	2.2	2.2	2.2
33P25FCV***	0.2	0.2	0.2	33P42H18IT***	1.3	1.3	1.3	33P724IT***	2.2	2.2	2.2
33P2FCL***	0.3	0.3	0.3	33P42H44IT***	1.3	1.3	1.3	33P725IT***	2.2	n/a	2.2
33P2FCV***	0.2	0.2	0.2	33P481IT***	1.5	1.5	1.5	33P72H06IT***	2.2	2.2	2.2

How to Use this Table

- ① Locate the model number
- ② Select yardage from the appropriate column.

➤ See the *Kimball Surface Materials Reference Guide* at www.kimball.com for COM policy and additional information.

continued

GSA Non-Contract

Statement of Line	➤ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.167

How to Use this Table

- ① Locate the model number
- ② Select yardage from the appropriate column.

➤ See the *Kimball Surface Materials Reference Guide* at www.kimball.com for COM policy and additional information.

Model	66"W Directional	54"W Directional	66"W Non-Dir.
33P72H18IT***	2.2	2.2	2.2
33P781IT***	2.3	2.3	2.3
33P782IT***	2.3	2.3	2.3
33P781IT***	2.3	2.3	2.3
33P782IT***	2.3	2.3	2.3
33P783IT***	2.3	2.3	2.3
33P78H06IT***	2.3	2.3	2.3
33P78H18IT***	2.3	2.3	2.3
33P841IT***	2.5	2.5	2.5
33P842IT***	2.5	2.5	2.5
33P843IT***	2.5	2.5	2.5
33P841IT***	2.5	2.5	2.5
33P842IT***	2.5	2.5	2.5
33P843IT***	2.5	2.5	2.5
33P84H06IT***	2.5	2.5	2.5
33P84H18IT***	2.5	2.5	2.5
33P901IT***	2.7	2.7	2.7
33P902IT***	2.7	2.7	2.7
33P903IT***	2.7	2.7	2.7
33P901IT***	2.7	2.7	2.7
33P902IT***	2.7	2.7	2.7
33P903IT***	2.7	2.7	2.7
33P90H06IT***	2.7	2.7	2.7
33P90H18IT***	2.7	2.7	2.7
33P961IT***	2.8	2.8	2.8
33P962IT***	2.8	2.8	2.8
33P963IT***	2.8	2.8	2.8
33P961IT***	2.8	2.8	2.8
33P962IT***	2.8	2.8	2.8
33P963IT***	2.8	2.8	2.8
33P96H06IT***	2.8	2.8	2.8
33P96H18IT***	2.8	2.8	2.8

Notes

Statement of Line	▶ See page NA.2
Planning	NA.9
Pricing	NA.53
Surface Materials	NA.167